

Be Inspired

FRAGRANCE OILS

Issue date: 24/11/2017

Version: 1 (19/05/2017)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: DREAMS.

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: DREAMS .(Contains:FLOROSA Q (FLORIFFOL ex blacks/ FLOROSOL), ISO E

SUPER, alpha iso methyl ionone, hexyl cinnamic aldehyde)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Supplies For Candles Company name:

Company address: UNIT E, Swinton Bridge Industrial Est

> Whitelee Road Swinton S64 8BH United Kingdom

Contact: Nicky Story

E-Mail address: info@SuppliesforCandles.co.uk

+44 1709 588579 Company phone:

1.4 Emergency telephone number

+44 1709 588579 Emergency phone:

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Skin Corrosion / Irritation Category 2 danger:

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

> Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Classification under Directive 1999/45/EC

Hazard symbols:

Xi, Irritant. Classification under

Regulation (EC) No

N, Dangerous for the environment.

1272/2008



Issue date: 24/1

Version: 1 (19/05

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006 Product:

DREAMS 153578.

Version: 1

Risk phrases: R38, Irritating to the skin.

R43, May cause sensitisation by skin contact.

R51/53, Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

2.2 Label elements

Signal word: Warning

Hazard statements:

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

 $EUH208, Contains\ limonene,\ ANETHOL,\ (2-methyl-3-(p-isopropylphenyl) propional dehyde),$

DELTA DAMASCONE (937856), CASHMERAN, KOAVONE (ASTRONE), Ligustral,

Exaltolide. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

Other hazards: None

Version: 1

Section 3. Composition / information on ingredients



Issue date: 24/1

Version: 1 (19/05

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006 Product:

DREAMS 153578.

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008	
benzyl benzoate	120-51-4	-51-4 204-402-9		16.00%	Xn-N ; R22-R51/53	ATO 4-EH A1-EH C2; H302-H400-H411,-	
ISO E SUPER	54464-57-2	259-174-3		12.30%	Xi-N; R38-R43-R51/53	SCI 2-SS 1B-EH C1;H315- H317-H410,-	
hexyl cinnamic aldehyde	101-86-0	202-983-3		11.10%	Xi-N; R38-R43-R50/53	SS 1B-EH A1-EH C2;H317- H400-H411,-	
ETHYLENE BRASSYLATE (MUSK T93)	105-95-3	203-347-8		5.60%	N ; R51/53	-;-,-	
GLOBANOLIDE (HABANOLIDE)	111879-80- 2			5.60%	N; R50/53	EH A1-EH C1;H410,-	
ORTHO TERIARY BUTYL CYCLO HEXYL ACETATE	88-41-5	201-828-7		5.10%	N; R51/53	EH C2;H411,-	
JASMACYCLENE (CYCLACET/ CYCLOVERDOL ACETATE)	5413-60-5	226-501-6		3.95%	- ; R52/53	EH C3;H412,-	
FLOROSA Q (FLORIFFOL ex blacks/ FLOROSOL)	63500-71-0	405-040-6		3.80%	Xi ; R36	EDI 2;H319,-	
linalool	78-70-6	201-134-4	01-134-4 3.55% Xi ; R38		Xi ; R38	SCI 2-EDI 2;H315-H319,-	
bangalol	28219-61-6	248-908-8		3.40%	Xi-N; R36-R50/53	EDI 2-EH A1-EH C1;H319- H410,-	
alpha iso methyl ionone	127-51-5	204-846-3		3.20%	Xi-N; R43-R36/38-R51/53	SCI 2-SS 1B-EH C2;H315- H317-H411,-	
limonene	5989-27-5	227-813-5	7-813-5 1.66% XN-N ; R 10-R38-R43-R65- A		FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304- H315-H317-H410,-		
DIHYDRO MYRCENOL	18479-58-8	258-432-2		1.65%	Xi ; R38	EDI 2;H319,-	
APHERMATE	25225-08-5	246-735-2	2 1.60% N; R51/53 E		EH C2;H411,-		
BENZYL ACETATE	140-11-4	205-399-7		1.25%	-;-	EH C3;H412,-	
GAMMA UNDECALACTONE	104-67-6	203-225-4		0.95%	N ; R51/53	EH C3;H412,-	
ALLYL HEPTYLATE (A0650-0) (ALLYL HEPTANOATE)	142-19-8	205-527-1		0.65%	T-N ; R23-R21/22-R50/53	ATO 3-ATD 3-ATI 3-EH A1- EH C3;H301-H311-H331- H400-H412,-	
(2-methyl-3-(p- isopropylphenyl) propionaldehyde)	103-95-7	203-161-7		0.50%	Xi-N; R38-R43-R51/53	SCI 2-SS 1B-EH C3;H315- H317-H412,-	
CASHMERAN	33704-61-9	251-649-3		0.35%	Xi-N; R43-R36/38-R51/53	SCI 2-EDI 2-SS 1B-EH C2; H315-H317-H319-H411,-	
Ligustral	68039-49-6	268-264-1		0.30%	Xi ; R43-R36/38-R52/53	SCI 2-EDI 2-SS 1B-EH C3; H315-H317-H319-H412,-	
ANETHOL	104-46-1	203-205-5		0.25%	Xi-N; R43-R51/53	SS 1B;H317,-	
DELTA DAMASCONE (937856)	57378-68-4	260-709-8		0.25%	Xn-N ; R22-R38-R43- R50/53	ATO 4-SCI 2-SS 1A-EH A1-EH C1;H302-H315- H317-H410,-	
PHENYL ETHYL PHENYL ACETATE	102-20-5	203-013-1		0.20%	N ; R51/53	EH C2;H411,-	
AMYL SALICYLATE	2050-08-0	218-080-2		0.15%	Xn-N ; R22-R50/53	ATO 4-EH A1-EH C1; H302-H410,-	
Exaltolide	106-02-5	203-354-6		0.15%	Xi ; R43	SS 1B-EH C2;H317-H411,-	
PEONILE	10461-98-0			0.15%	Xn-N ; R22-R51/53	ATO 4-EH C2;H302-H411,-	

Version:

1



Issue date: 24/1

Version: 1 (19/05

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006 Product:

DREAMS 153578.

TETRA HYDRO LINALOL	78-69-3	201-133-9	0.15%	Xi-N; R38-R51/53	SCI 2-EDI 2;H315-H319,-
HEXYL ACETATE	142-92-7	205-572-7	0.10%	N ; R10-R51/53	FL 3;H226,-
KOAVONE (ASTRONE)	81786-75-6	279-825-5	0.10%	Xi-N ; R43-R51/53	SS 1B-EH C2;H317-H411,-
2,2,7,7 tetramethyltricyclo (6.2.1.0((1,6) undec-5 (4)-en-5-yl)propan-1-ol			0.10%	Xi-N ; R38-R43-R50/53	ನರ್
BETA PINENE	127-91-3	204-872-5	0.03%	Xn ; R10-R38-R43-R65	FL 3-SCI 2-SS 1B-AH 1; H226-H304-H315-H317,-

Substances with Community workplace exposure limits, not listed above:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Version: 1

Section 6. Accidental release measures



Issue date: 24/1

Version: 1 (19/05

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006 Product:

DREAMS 153578.

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

_Soap Suppliers Limited t/a Supplies for Candles, Unit E, Swinton Bridge Industrial Estate, Whitelee Road, Swinton, S64 8BH



Issue date: 24/1

Version: 1 (19/05

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006 Product:

DREAMS 153578.

Version: 1

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

Flash point: > 60 °C

Vapour pressure:Not determinedRelative density:Not determinedSolubility(ies):Not determined9.2 Other information:None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Causes skin irritation.

May cause an allergic skin reaction.



Issue date: 24/1

Version: 1 (19/05

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006 Product:

DREAMS 153578.

Version: 1

Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: 4569
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: >5000

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity:

Not Available

Not Available

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
ALLYL HEPTYLATE (A0650-0) (ALLYL HEPTANOATE)	142-19-8	205-527-1	218	810	3	Vapour
benzyl benzoate	120-51-4	204-402-9	1500	4000	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available 12.4

Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: UN3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO

E SUPER, GLOBANOLIDE (HABANOLIDE))

14.3 Transport hazard class(es): 9

Sub Risk: -



Issue date: 24/1

Version: 1 (19/05

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006 Product:

DREAMS 153578.

Version: 1

14.4. Packing Group:

14.5 Environmental hazards: This is an environmentally hazardous substance.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH A1=64.41% EH C2=9.24% EH C3=0.92201590% EH C4=38.13%

SCI 2=48.28% EDI 2=80.65% SS 1=8.13%

Total Fractional Values: EH A1=1.55 EH C2=10.83 EH C3=108.46 EH C4=2.62 SCI 2=2.07 EDI

2=1.24 SS 1=12.30

Key to revisions:

Not applicable



Issue date: 24/1

Version: 1 (19/05

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006 Product:

DREAMS 153578.

Key to abbreviations:

Abbreviation	Meaning			
AH 1	Aspiration Hazard Category 1			
ATD 3	Acute Toxicity - Dermal Category 3			
ATI 3	Acute Toxicity - Inhalation Category 3			
ATO 3	Acute Toxicity - Oral Category 3			
ATO 4	Acute Toxicity - Oral Category 4			
EDI 2	Eye Damage / Irritation Category 2			
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1			
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1			
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2			
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3			
FL 3	Flammable Liquid, Hazard Category 3			
H226	Flammable liquid and vapour.			
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H311	Toxic in contact with skin.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			

Version:



Issue date: 24/1

Version: 1 (19/05

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006 Product:

DREAMS 153578.

H319	Causes serious eye irritation.			
H331	Toxic if inhaled.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.			
P233	Keep container tightly closed.			
P240				
P241	Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment.			
P242	Use only non-sparking tools.			
P243	Take precautionary measures against static discharge.			
P261	Avoid breathing vapour or dust.			
P264	Wash hands and other contacted skin thoroughly after handling.			
P270	Do not eat, drink or smoke when using this product.			
P271	Use only outdoors or in a well-ventilated area.			
P272	Contaminated work clothing should not be allowed out of the workplace.			
P273	Avoid release to the environment.			
P280	Wear protective gloves/eye protection/face protection.			
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.			
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.			
P302/352	IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with			
P303/361/353	water/shower.			
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.			
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P311	Call a POISON CENTRE or doctor/physician.			
P330	Rinse mouth.			
P331	Do not induce vomiting.			
P332/313	If skin irritation occurs: Get medical advice/attention.			
P333/313	If skin irritation or rash occurs: Get medical advice/attention.			
P337/313	If eye irritation persists: Get medical advice/attention.			
P361	Remove/Take off immediately all contaminated clothing.			
P362	Take off contaminated clothing and wash before reuse.			
P363	Wash contaminated clothing before reuse.			
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.			
P391	Collect spillage.			
P403/235	Store in a well-ventilated place. Keep cool.			
P405	Store locked up.			
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.			
SCI 2	Skin Corrosion / Irritation Category 2			
SS 1A	Sensitization - Skin Category 1A			
SS 1B	Sensitization - Skin Category 1B			





Issue date: 24/10/2017

Version: 1 (19/05/2017)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: DREAMS 153578.

Page10

Version: 1

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.