



# Be Inspired

FRAGRANCE OILS  
— BY SUPPLIES FOR CANDLES —

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Savauge (10% in NON HAZARDOUS BASE)  
**Version:** Preview

### Section 1. Identification of the substance or the mixture and of the supplier

# Preview

#### 1.1 Product Identifier

**Product identifier:** Savauge (10% in NON HAZARDOUS BASE)

**Other identifiers:** None

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product uses:** Fragrances

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** Supplies For Candles  
**Company address:** Unit E Swinton Bridge Ind Est  
Whitelee Road, Swinton,  
South Yorkshire,  
S64 8BH

**Contact:** Nicky Story  
**E-Mail address:** info@SuppliesforCandles.co.uk  
**Company phone:** +44 1709 588579

#### 1.4 Emergency telephone number

**Emergency phone:** +44 1709 588579

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification under Regulation (EC) No 1272/2008

**Class and category of danger:** Hazardous to the Aquatic Environment - Long-term Hazard Category 3  
H412, Harmful to aquatic life with long lasting

#### 2.2 Label elements

**Signal word:** effects.

# Preview



# Be Inspired

FRAGRANCE OILS  
— BY SUPPLIES FOR CANDLES —

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Savauge (10% in NON HAZARDOUS BASE)  
None

**Hazard statements:** H412, Harmful to aquatic life with long lasting effects.

**Supplemental Information:** EUH208, Contains (ETHOXYMETHYL)CYCLODODECANE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES, LINALOOL, D-LIMONENE, METHYL 2,6,10-TRIMETHYLCYCLODODECA-2,5,9-TRIENYL KETONE. May produce an allergic reaction.

**Precautionary statements:** P273, Avoid release to the environment.  
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Version:** Preview

**Pictograms:** None None

**Other hazards:**

# Preview

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES	54464-57-2	259-174-3		0.1-<1%	SCI 2-SS 1B-EH C1; H315-H317-H410,-
D-LIMONENE	5989-27-5	227-813-5		0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-
OXACYCLOHEXADEC ENONE (ETHOXYMETHYL)	34902-57-3, 111879-80-2	422-320-3	01-0000016883-62	0.1-<1%	H304-H315-H317- H410,- EH A1-EH C2;H400-
CYCLODODECANE	58567-11-6	261-332-1		0.1-<1%	H315-H317-H411,- SCI 2-EDI 2-SS 1B;
LINALOOL	78-70-6	201-134-4	01-2119474016-42	0.1-<1%	H315-H317-H319,-
METHYL 2,6,10- TRIMETHYLCYCLODO	28371-99-5,	248-995-2		0.1-<1%	SS 1-EH A1-EH C1;
DECA-2,5,9-TRIENYL KETONE	144020-22-4				H317-H410,- FL 3-SCI 2-SS 1B-AH



# Be Inspired

FRAGRANCE OILS

## SAFETY DATA SHEET

BY SUPPLIES FOR CANDLES

In accordance with REACH Regulation EC No.1907/2006

**Product:** Savauge (10% in NON HAZARDOUS BASE)

BETA-PINENES	127-91-3	204-872-5	<0.1%	1-EH A1-EH C1;H226-H304-H315-H317-H410,-
GAMMA-TERPINENE	99-85-4	202-794-6	<0.1%	FL 3-AH 1;H226-H304,-
ALPHA GUAIENE	3691-12-1		<0.1%	SCI 2 EDI 2 AH 1;
ALPHA-PINENES	80-56-8	201-291-9	<0.1%	H304-H315-H317-H410,-
ALPHA-PHELLANDRENE BETA-	99-83-2	202-792-5	<0.1%	FL 3-AH 1;H226-H304,-
CARYOPHYLLENE	87-44-5	201-746-1	<0.1%	SS 1B-AH 1;H304-H317,-
MYRCENE	123-35-3	204-622-5	<0.1%	FL 3-SCI 2 EDI 2 AH 1;H226-H304-H315-H319,-
P-CYMENE	99-87-6	202-796-7	<0.1%	FL 3-AH 1-EH C2;H226-H304-H411,-
TERPINOLENE	586-62-9	209-578-0	<0.1%	SS 1B-AH 1-EH A1-EH C1;H304 H317 H410,-
FARNESENE	18794-84-8	242-582-0	<0.1%	AH 1;H304,-
3-CARENE	13466-78-9	236-719-3	<0.1%	FL 3-SCI 2-SS 1B-AH 1;H226-H304-H315-H317,-

D,L-LIMONENE	138-86-3	205-341-0	<0.1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304-H315-H317H410,-
--------------	----------	-----------	-------	---

**Version:** Preview

L-LIMONENE	5989-54-8	227-815-6	01-2119958629-18	<0.1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304-H315-H317-H410,-
------------	-----------	-----------	------------------	-------	--

Name	CAS	EC	%
ALCOHOL	64-17-5	200-578-6	<0.1%
BHT (BUTYLATED HYDROXYTOLUENE)	128-37-0	204-881-4	<0.1%
DIETHYL PHTHALATE	84-66-2	201-550-6	5-<10%
FURFURAL	98-01-1	202-627-7	<0.1%



# Be Inspired

FRAGRANCE OILS  
— BY SUPPLIES FOR CANDLES —

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Savage (10% in NON HAZARDOUS BASE)

**Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:** Not Applicable

### Section 4. First-aid measures

#### 4.1 Description of first aid measures

- Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
- Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Skin exposure:** Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.
- Ingestion:** Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

None expected, see Section 4.1 for further information.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

# Preview

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

**Version:** Preview

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency

procedures 

# Preview

 :



# Be Inspired

FRAGRANCE OILS  
— BY SUPPLIES FOR CANDLES —

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Savauge (10% in NON HAZARDOUS BASE)

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

Workplace exposure limits:

# Preview

### 8.1 Control parameters

**Version:** Preview

Ingredient	CAS	EC	Description	Value
------------	-----	----	-------------	-------

Long-term exposure limit (8-hour)



FRAGRANCE OILS

SAFETY DATA SHEET

BY SUPPLIES FOR CANDLES				
Preview				
ALCOHOL	64-17-5		200-578-6	
				1000
			TWA) (ppm)	
			Long-term exposure limit (8-hour	
			TWA) (mg/m3)	1920
BHT (BUTYLATED HYDROXYTOLUENE)	128-37-0	204-881-4	Long-term exposure limit (8-hour	10
			TWA) (mg/m3)	
			Long-term exposure limit (8-hour	
			TWA) (mg/m3)	5
DIETHYL PHTHALATE	84-66-2	201-550-6	Short-term exposure limit (15-	
			minute) (mg/m3)	10
			Long-term exposure limit (8-hour	
			TWA) (ppm)	2
			Long-term exposure limit (8-hour	
			TWA) (mg/m3)	8
FURFURAL	98-01-1	202-627-7	Short-term exposure limit (15-	
			minute) (ppm)	5
			Short-term exposure limit (15-	
			minute) (mg/m3)	20

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Savauge (10% in NON HAZARDOUS BASE)  
openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or

# Preview

reduce organic vapour cartridges or canisters and particulate

filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Not determined
<b>Odour:</b>	Not determined
<b>Odour threshold:</b>	Not determined
<b>pH:</b>	Not determined
<b>Version:</b>	Preview

<b>Melting point / freezing point:</b>	Not determined
<b>Initial boiling point / range:</b>	Not determined
<b>Flash point:</b>	Not determined

# Preview

**Evaporation rate:** Not determined

<b>Flammability (solid, gas):</b>	Not determined
<b>Upper/lower flammability or explosive limits:</b>	Product does not present an explosion hazard
<b>Vapour pressure:</b>	Not determined
<b>Vapour density:</b>	Not determined
<b>Relative density:</b>	Not determined
<b>Solubility(ies):</b>	Not determined
<b>Partition coefficient: n-octanol/water:</b>	Not determined
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not determined
<b>Viscosity:</b>	Not determined
<b>Explosive properties:</b>	Not expected
<b>Oxidising properties:</b>	Not expected



# Be Inspired

FRAGRANCE OILS  
— BY SUPPLIES FOR CANDLES —

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Savage (10% in NON HAZARDOUS BASE)

**9.2 Other information:** None available

### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use. Avoid extreme heat.

# Preview

#### 10.4 Conditions to avoid:

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

**Version:** Preview

### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

methods outlined in Regulation (EC) No 1272/2008 (CLP).

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the

This material does not meet the criteria for classification for health hazards under Regulation (EC) No 1272/2008.

**Acute Toxicity:** Based on available data the classification criteria are not met.

Acute Toxicity Oral Not Applicable

# Preview





## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

<b>Product:</b>	Savauge (10% in NON HAZARDOUS BASE)
<b>Acute Toxicity Dermal</b>	Not Applicable
<b>Acute Toxicity Inhalation</b>	Not Available
<b>Skin corrosion/irritation:</b>	Based on available data the classification criteria are not met.
<b>Serious eye damage/irritation:</b>	Based on available data the classification criteria are not met.
<b>Respiratory or skin sensitisation:</b>	Based on available data the classification criteria are not met.
<b>Germ cell mutagenicity:</b>	Based on available data the classification criteria are not met.
<b>Carcinogenicity:</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity:</b>	Based on available data the classification criteria are not met.
<b>STOT-single exposure:</b>	Based on available data the classification criteria are not met.
<b>STOT-repeated exposure:</b>	Based on available data the classification criteria are not met.
<b>Aspiration hazard:</b>	Based on available data the classification criteria are not met.
<b>Information about hazardous ingredients in the mixture</b>	
	Not Applicable

Refer to Sections 2 and 3 for additional information.

### Section 12. Ecological information

#### 12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Not readily biodegradable : 0.0092 % Inherently  
biodegradable : 0.0021 % Test data unavailable :  
1.8121 %

Readily biodegradable : 2.0226 %

#### 12.3 Bioaccumulative potential: Not available 12.4

**Mobility in soil:** Not available

#### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Other adverse effects:** Not available

**Version:** Preview

Preview



# Be Inspired

FRAGRANCE OILS  
— BY SUPPLIES FOR CANDLES —

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Savauge (10% in NON HAZARDOUS BASE)

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment.  
Empty

containers should be taken to an approved waste handling site for recycling or

disposal. **Preview**

### Section 14. Transport information

**14.1 UN number:** Not classified  
**14.2 UN Proper Shipping Name:** Not classified  
**14.3 Transport hazard class(es):** Not classified  
**Sub Risk:** Not classified  
**14.4. Packing Group:** Not classified  
**14.5 Environmental hazards:** Not environmentally hazardous for transport  
**14.6 Special precautions for user:** None additional  
**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**  
Not classified

### Section 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

**Concentration % Limits:** EH C3=24.10%  
**Total Fractional Values:** EH C3=4.15



# Be Inspired

FRAGRANCE OILS  
— BY SUPPLIES FOR CANDLES —

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Savauge (10% in NON HAZARDOUS BASE)

Not applicable

# Preview

### Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.

### Key to revisions:

**Version:** Preview

H304 May be fatal if swallowed and enters airways.

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED. Immediately call a POISON CENTER or doctor/physician.
P302/352	IF ON SKIN. Wash with plenty of soap and water.



# Be Inspired

FRAGRANCE OILS

— BY SUPPLIES FOR CANDLES —

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

<b>Product:</b>	Savauge (10% in NON HAZARDOUS BASE)
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

# Preview

P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.