Revision Date 25.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name

AUGEO CRYSTAL (Reed Diffuser Base)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses of the Substance/Mixture

- Uses in Coatings
- Clear coating
- Paint
- Use as solvent for electronics

1.3 Details of the supplier of the safety data sheet

Company

Supplies For Candles Unit E, Swinton Bridge Industrial Estate, Whitelee Road Swinton S64 8BH

E-mail address

customerservice@suppliesforcandles.co.uk

1.4 Emergency telephone number

Contact: Nicky Story .

Telephone 01709 257151 Office Hours: 9:00 - 17:00 Monday to Friday

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification (UN)

Flammable liquids, Category 4 Eye irritation, Category 2A H227: Combustible liquid.

H319: Causes serious eye irritation.

2.2 Label elements

GHS label elements (UN)

Hazardous products which must be listed on the label

• CAS-No. 100-79-8

2,2-dimethyl-1,3-dioxolan-4-ylmethanol

Pictogram



Signal word

- Warning

Hazard statements

H227H319

Combustible liquid.

Causes serious eye irritation.

Precautionary statements

PRCO90076230

Version: 1.00 / Z_UN (EN)



Revision Date 25.01.2019

General

- None Prevention

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

- P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

- P337 + P313 If eye irritation persists: Get medical advice/ attention.

- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage |

P403 Store in a well-ventilated place.

Disposal

- P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards which do not result in classification

None known.

SECTION 3: Composition/information on ingredients

3.1 Substance

Information on Components and Impurities

Chemical name	CAS-No.	GHS Classification	Concentration [%]
2,2-dimethyl-1,3-dioxolan-4-ylmethanol	100-79-8	Flammable liquids, Category 4; H227 Eye irritation, Category 2; H319	>= 99 - <= 100

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

- Not applicable, this product is a substance.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

- Show this safety data sheet to the doctor in attendance.
- First aider needs to protect himself.
- Place affected clothing in a sealed bag for subsequent decontamination.

In case of inhalation

- Move to fresh air.
- Keep at rest.
- Consult a physician if necessary.

In case of skin contact

- Take off contaminated clothing and shoes immediately.
- Wash off with soap and plenty of water.
- If skin irritation occurs, seek medical advice/attention.

PRCO90076230

Version: 1.00 / Z_UN (EN)



Revision Date 25.01.2019

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If eye irritation persists, consult a physician

In case of ingestion

- Do NOT induce vomiting.
- Rinse mouth with water.
- Do not give anything to drink.
- Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- no data available

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

- Treat symptomatically.
- There is no specific antidote available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

- Foam
- Dry powder
- Water mist
- Carbon dioxide (CO2)
- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

- High volume water jet

5.2 Special hazards arising from the substance or mixture

- Combustible liquid.
- Heating increases the inner pressure of the bottle, risk of explosion.

5.3 Advice for firefighters

Further information

- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Mark the contaminated area with signs and prevent access to unauthorized personnel.
- Evacuate personnel to safe areas.
- Avoid contact with the skin and the eyes.
- Use personal protective equipment.
- Keep away from flames and sparks.
- Store away from heat.
- Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid.
- Remove all incompatible materials as quickly as possible

6.2 Environmental precautions

PRCO90076230





Revision Date 25.01.2019

- Dam up.
- Prevent product from entering sewage system.
- Try to prevent the material from entering drains or water courses.
- Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Recovery

- Collect spillage.
- Pick up and transfer to properly labelled containers.
- Keep in suitable, closed containers for disposal.

Neutralization

- Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Decontamination/cleaning

- Pick up contaminated soil.
- Clean contaminated floors and objects thoroughly while observing environmental regulations.
- Pick up and transfer to properly labelled containers.
- Keep in suitable, closed containers for disposal.
- Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Disposal

- Dispose of contents/ container to an approved waste disposal plant.
- The product should not be allowed to enter drains, water courses or the soil.
- Dispose of in accordance with local regulations.

Additional advice

- Remove all incompatible materials as quickly as possible

6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Provide adequate ventilation.
- Provide sufficient air exchange and/or exhaust in work rooms.
- Handle in accordance with good industrial hygiene and safety practice.
- Wear personal protective equipment.
- Avoid inhalation, ingestion and contact with skin and eyes.
- For personal protection see section 8.

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Use clean, well-maintained personal protection equipment.
- Wash hands before breaks and at the end of workday.
- When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

PRCO90076230

Version: 1.00 / Z_UN (EN)



Revision Date 25.01.2019

Technical measures/Storage conditions

- The floor of the depot should be impermeable and designed to form a water-tight basin.
- Keep only in the original container.
- Keep in a dry, cool and well-ventilated place.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from incompatible materials to be indicated by the manufacturer

Packaging material

Suitable material

- Unlined steel
- Plastic container of HDPE

Requirements for storage rooms and vessels

Protect from frost, heat and sunlight.

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- Contains no substances with occupational exposure limit values above their regulatory reporting threshold.

8.2 Exposure controls

Control measures

Engineering measures

- Provide adequate ventilation.

Individual protection measures

Respiratory protection

- Use a respirator with an approved filter if a risk assessment indicates this is necessary.

Eye protection

- Safety glasses with side-shields

Skin and body protection

- Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Remove and wash contaminated clothing.

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Use clean, well-maintained personal protection equipment.
- Wash hands before breaks and at the end of workday.
- When using do not eat, drink or smoke.

Protective measures

- The protective equipment must be selected in accordance with current CEN standards and in cooperation with the supplier of the protective equipment.
- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards and/or risks that may occur during use.

PRCO90076230





Revision Date 25.01.2019

Environmental exposure controls

- Dam up.
- Prevent product from entering sewage system.
- Try to prevent the material from entering drains or water courses.
- Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u> <u>Physical state:</u> liquid

Colour: colourless

<u>Odour</u> slight

Odour ThresholdNo data availableMolecular weight132.16 g/mol

pH Not applicable

Melting point/freezing point Freezing point: -99 °C

<u>Initial boiling point and boiling range</u> Boiling point/boiling range: 191 °C (1,013.25 hPa)

Flash point 91 °C closed cup

100 °C open cup

Evaporation rate (Butylacetate = 1) 0.03

Flammability (solid, gas)
No data available

Flammability (liquids)
No data available

Flammability/Explosive limit
No data available

Auto-ignition temperature
390 °C (1,013 hPa)

Method: EU Test Guideline A15

Vapour pressure 0.05 hPa (20 °C)

Vapour density 2.6

Density

Relative density 1.069 (20 °C)

PRCO90076230





Revision Date 25.01.2019

Solubility: Water solubility:

(20 °C)completely soluble

Solubility in other solvents:

Alcohol: miscible

Esters: miscible

Ether: miscible

Aromatic hydrocarbons: miscible

petroleum ether. : miscible

petrol: miscible

No data available

Partition coefficient: n-octanol/water

Decomposition temperature No data available

<u>Viscosity</u>, <u>dynamic</u>: 11 mPa.s (20 °C)

Explosive properties No data available Oxidizing properties No data available

9.2 Other information

Surface tension 33.5 mN/m (20 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity

- no data available

10.2 Chemical stability

- Stable at room temperature.
- Stable under normal conditions.

10.3 Possibility of hazardous reactions

- Vapours may form explosive mixture with air.

10.4 Conditions to avoid

- Heat, flames and sparks.

10.5 Incompatible materials

- Strong oxidizing agents
- Strong acids
- Strong reducing agents
- Strong bases

10.6 Hazardous decomposition products

PRCO90076230





Revision Date 25.01.2019

Hazardous decomposition products

- On combustion or on thermal decomposition (pyrolysis) releases:
- (Carbon oxides (CO + CO2)).
- Acetic acid
- Ethanol

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity

2,2-dimethyl-1,3-dioxolan-4-ylmethanol LD50: 7,000 mg/kg - Rat

Not classified as hazardous for acute oral toxicity according to GHS.

Published data

Acute inhalation toxicity

2,2-dimethyl-1,3-dioxolan-4-ylmethanol LC50 (dust/mist) : > 5.11 mg/l - Rat , male and female

Method: OECD Test Guideline 403

Not classified as hazardous for acute inhalation toxicity according to GHS.

Aerosol

No mortality observed at this concentration.

Unpublished internal reports

Acute dermal toxicity

2,2-dimethyl-1,3-dioxolan-4-ylmethanol LD50: 2,000 mg/kg - Rat, male and female

Method: OECD Test Guideline 402

Not classified as hazardous for acute dermal toxicity according to GHS.

Unpublished internal reports

Acute toxicity (other routes of

administration)

No data available

Skin corrosion/irritation

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Rabbit

No skin irritation

Method: OECD Test Guideline 404 Unpublished internal reports

Serious eye damage/eye irritation

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Rabbit

irritating

Method: OECD Test Guideline 405 Unpublished internal reports

Respiratory or skin sensitisation

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Maximisation Test - Guinea pig

Does not cause skin sensitisation. Method: OECD Test Guideline 406 Unpublished internal reports

PRCO90076230

Version: 1.00 / Z_UN (EN)



Revision Date 25.01.2019

Mutagenicity

Genotoxicity in vitro

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Ames test

with and without metabolic activation

negative

Method: OECD Test Guideline 471 Unpublished internal reports

Genotoxicity in vivo

2,2-dimethyl-1,3-dioxolan-4-ylmethanol In vivo micronucleus test - Mouse

male

Intraperitoneal route

Method: OECD Test Guideline 474

negative

Unpublished internal reports

<u>Carcinogenicity</u> No data available

Toxicity for reproduction and development

Toxicity to reproduction/Fertility

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Reproduction/developmental toxicity screening test - Rat, male and female, Oral

Fertility NOAEL Parent: 1,000 mg/kg bw/day

Method: OECD Test Guideline 422

Highest dose tested, no impairment of fertility has been observed, Unpublished

internal reports

Developmental Toxicity/Teratogenicity

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Rat, male and female, Oral

General Toxicity Maternal NOAEL: 1,000 mg/kg bw/day

Teratogenicity NOAEL F1:1,000mg/kg bw/day

Embryo-foetal toxicity NOAEL F1: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Highest dose tested, no embryotoxic or teratogenic effects have been observed,

Unpublished internal reports

STOT

STOT - single exposure

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Exposure routes: Ingestion, Skin contact, Inhalation

The substance or mixture is not classified as specific target organ toxicant, single

exposure according to GHS criteria.

internal evaluation

STOT - repeated exposure

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Exposure routes: Ingestion, Inhalation

The substance or mixture is not classified as specific target organ toxicant,

repeated exposure according to GHS criteria.

internal evaluation

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Oral - Rat , male and female

NOAEL: 1000 mg/kg

Method: OECD Test Guideline 422

PRCO90076230

Version: 1.00 / Z_UN (EN)



Revision Date 25.01.2019

Highest dose tested

No significant adverse effects were reported A testing proposal has been submitted to ECHA.

Unpublished internal reports

Inhalation (aerosol) 90-day - Rat, male and female

NOAEC: > 5 mg/l

Method: OECD Test Guideline 413

Highest dose tested

No significant adverse effects were reported

Unpublished internal reports

Experience with human exposure No data available

Aspiration toxicity No data available

SECTION 12: Ecological information

12.1 Toxicity

Aquatic Compartment

Acute toxicity to fish

2,2-dimethyl-1,3-dioxolan-4-ylmethanol LC50 - 96 h: 16.7 mg/l - Pimephales promelas (fathead minnow)

flow-through test

Analytical monitoring: yes

Method: according to a standardised method

Harmful to fish. Published data

Acute toxicity to daphnia and other aquatic invertebrates

2,2-dimethyl-1,3-dioxolan-4-ylmethanol EC50 - 48 h : > 96 mg/l - Daphnia similis (water flea)

static test

Analytical monitoring: yes

Method: OECD Test Guideline 202

Not harmful to aquatic invertebrates. (EC/EL50 > 100 mg/L)

Unpublished internal reports

Toxicity to aquatic plants

2,2-dimethyl-1,3-dioxolan-4-ylmethanol ErC50 - 72 h : > 92 mg/l - Pseudokirchneriella subcapitata (green algae)

static test

Analytical monitoring: yes

Method: OECD Test Guideline 201

Not harmful to algae (EC/EL50 > 100 mg/L)

Unpublished internal reports

NOEC - 72 h : 92 mg/l - Pseudokirchneriella subcapitata (green algae)

static test

Analytical monitoring: yes

Method: OECD Test Guideline 201

No adverse chronic effect observed up to and including the threshold of 1 mg/L.

Unpublished internal reports

PRCO90076230

Version: 1.00 / Z_UN (EN)



Revision Date 25.01.2019

Toxicity to microorganisms

2,2-dimethyl-1,3-dioxolan-4-ylmethanol EC50 - 3 h : > 1,000 mg/l - activated sludge

static test

Analytical monitoring: no

Method: OECD Test Guideline 209 Unpublished internal reports

Chronic toxicity to fish No data available

Chronic toxicity to daphnia and other aquatic invertebrates

2,2-dimethyl-1,3-dioxolan-4-ylmethanol semi-static test

NOEC: 10 mg/l - 21 Days - Daphnia magna (Water flea)

flow-through test

Analytical monitoring: yes End point: Reproduction

Method: OECD Test Guideline 211

No adverse chronic effect observed up to and including the threshold of 1 mg/L.

Terrestrial Compartment

Toxicity to soil dwelling organisms

2,2-dimethyl-1,3-dioxolan-4-ylmethanol NOEC: 250 mg/kg - 56 Days - Eisenia fetida (earthworms)

End point: Reproduction

Method: OECD Test Guideline 222 Unpublished internal reports

NOEC: 12.5 mg/kg - 28 Days - soil micro-organisms

End point: Nitrogen transformation Method: OECD Test Guideline 216 Unpublished internal reports

12.2 Persistence and degradability

Abiotic degradation

Stability in water

2,2-dimethyl-1,3-dioxolan-4-ylmethanol pH: 4.0

Temperature of hydrolysis: 25 °C Degree of hydrolysis: 50 % Hydrolysis time: 0.959 Days Method: OECD Test Guideline 111 Unpublished internal reports,

Physical- and photo-chemical

elimination

No data available

Biodegradation

Biodegradability Zahn-Wellens Test

Inherently biodegradable.

Degradability assessment

PRCO90076230

Version: 1.00 / Z_UN (EN)



Revision Date 25.01.2019

2,2-dimethyl-1,3-dioxolan-4-ylmethanol The product is not considered to be rapidly degradable in the environment

12.3 Bioaccumulative potential

Partition coefficient: n-

octanol/water

Not potentially bioaccumulable

Bioconcentration factor (BCF) Bioconcentration factor (BCF): 1.3

12.4 Mobility in soil

Adsorption potential (Koc)

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Adsorption/Soil

Log Koc: < 1.25

Method: OECD Test Guideline 121 Unpublished internal reports

Known distribution to environmental

compartments

No data available

12.5 Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating and toxic

This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

12.6 Other adverse effects

Ecotoxicity assessment

Short-term (acute) aquatic hazard

2,2-dimethyl-1,3-dioxolan-4-ylmethanol The product does not have any known adverse effects on the aquatic organisms

tested

Long-term (chronic) aquatic hazard

2,2-dimethyl-1,3-dioxolan-4-ylmethanol No adverse chronic effect observed up to and including the threshold of 1 mg/L.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

- Do not dispose of with domestic refuse.
- Dispose of in accordance with local regulations.
- The product should not be allowed to enter drains, water courses or the soil.
- Dispose of contents/ container to an approved waste disposal plant.
- Send to a licensed waste management company.

Advice on cleaning and disposal of packaging

- Do not re-use empty containers.
- Clean container with water.
- Dispose of contents/ container to an approved incineration plant.
- Dispose of in accordance with local regulations.

PRCO90076230

Version: 1.00 / Z_UN (EN)



Revision Date 25.01.2019

SECTION 14: Transport information

IMDG

not regulated

<u>IATA</u>

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Local regulations

No data available

Notification status

Inventory Information	Status
United States TSCA Inventory	- On TSCA Inventory
Canadian Domestic Substances List (DSL)	All components of this product are on the Canadian DSL
Australia Inventory of Chemical Substances (AICS)	On the inventory, or in compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	On the inventory, or in compliance with the inventory
Korea. Korean Existing Chemicals Inventory (KECI)	On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	On the inventory, or in compliance with the inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- Listed on Inventory
EU. European Registration, Evaluation, Authorisation and Restriction of Chemical (REACH)	If product is purchased from Solvay in Europe it is in compliance with REACH, if not please contact the supplier.
New Zealand. Inventory of Chemical Substances	On the inventory, or in compliance with the inventory

PRCO90076230





Revision Date 25.01.2019

SECTION 16: Other information

Full text of H-Statements

- H227 Combustible liquid.

H319 Causes serious eye irritation.

Further information

- Distribute new edition to clients

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.

