

Page1(9) Issue date: 13/03/2017 Version: 1 (13/03/2017)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

PIXIE DUST FRAGRANCE OIL Product: 1

Version:

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: SNOW FAIRY 34754/2 10% \$SNWFR54/10(Contains:hexyl cinnamic aldehyde) Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet Supplies For Candles Company name: Company Unit E, Swinton Bridge Industrial address: Estate Whitelee Road Swinton

S64 8BH

Contact: Nicky Story E-Mail info@SuppliesforCandles.co.uk address: +44 1709 588579 Company phone: 1.4 Emergency telephone number

Emergency phone: +44 1709 588579

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008 Class and category of Sensitization - Skin Category 1

danger:

Hazardous to the Aquatic Environment - Long-term Hazard Category 3

H317, May cause an allergic skin reaction.

H412, Harmful to aquatic life with long lasting effects.

Classification under Directive 1999/45/EC

Hazard symbols: Xi, Irritant.

N, Dangerous for the environment.



Page 2 (9) Issue date: 13/03/2017 Version: 1 (13/03/2017)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Risk phrases:	PIXIE DUST FRAGRANCE OIL R43, May cause sensitisation by skin contact.
·	
R51/53, Toxic to	aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Version:

2.2 Label elements

1

2.2 Label elements	
Signal word:	Warning
Hazard statements:	H317, May cause an allergic skin reaction. H412, Harmful to aquatic life with long lasting effects.
Supplemental Information:	EUH208, Contains citronellol. May produce an allergic reaction.
Precautionary statements:	 P261, Avoid breathing vapour or dust. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P363, Wash contaminated clothing before reuse. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:

Other hazards:

None

Section 3. Composition / information on ingredients

3.2 Mixtures Contains:



In accordance with REACH Regulation EC No.1907/2006

Product:	oduct: PIXIE DUST FRAGRANCE OIL							
Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008		
hexyl cinnamic aldehyde	101-86-0	202-983-3		1.20%	Xi-N ; R38-R43-R50/53	SS 1B-EH A1-EH C2;H317- H400-H411,-		
BETA IONONE	14901-07-6	238-969-9		1.04%	N ; R51/53	EH C2;H411,-		
DIHYDRO MYRCENOL	18479-58-8	258-432-2		1.00%	Xi ; R38	EDI 2;H319,-		
GALAXOLIDE 50 DEP	1222-05-5	214-946-9		0.60%	N ; R50/53	EH A1-EH C1;H410,-		
ORTHO TERIARY BUTYL CYCLO HEXYL ACETATE	88-41-5	201-828-7		0.60%	N ; R51/53	EH C2;H411,-		
SANDALMYSORE CORE (BLANOVA SMC)	28219-60-5	248-907-2		0.40%	Xi-N ; R36-R50/53	EDI 2-EH A1-EH C1;H319- H410,-		
Version: 1								

ALLYL HEPTYLATE (A0650-0) (ALLYL HEPTANOATE)	142-19-8	205-527-1	0	0.34%	T-N ; R23-R21/22-R50/53	ATO 3-ATD 3-ATI 3-EH A1- EH C3;H301-H311-H331- H400-H412,-
AMYL SALICYLATE	2050-08-0	218-080-2	0	0.30%	Xn-N ; R22-R50/53	ATO 4-EH A1-EH C1; H302-H410,-
Florocyclene	17511-60-3	241-514-7	0	0.24%	N ; R51/53	EH C2;H411,-
citronellol	106-22-9	203-375-0	0	0.20%	Xi-N ; R38-R43-R51/53	SCI 2-EDI 2-SS 1B;H315- H317-H319,-

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
DEP	84-66-2	201-550-6	2.57%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater t 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

Supplies for Candles, Unit E, Swinton Bridge Industrial Estate, Whitelee Road, Swinton, S64 8BH



Page 4 (9) Issue date: 13/03/2017 Version: 1 (13/03/2017)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PIXIE DUST FRAGRANCE OIL 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated:Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

Version:

6.2 Environmental precautions:

1

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations. 6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequa ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters



In accordance with REACH Regulation EC No.1907/2006

Product: PIXIE DUST FRAGRANCE OIL Workplace exposure limits:

Ingredient	CAS	EC	Description			Reference
		201-550-	Long-term exposure limit (8-hou TWA reference period)	r_ _	5	UK EH40 Oct 2007
DEP	EP 84-66-2		Short-term exposure limit (15- minute reference period)	-	10	UK EH40 Oct 2007

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to er occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and of Version: 1

areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator wi organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks a other open sources of potential exposures in order to avoid excessive inhalation, including places where this mat is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or redu possible worker exposures. d) Use closed systems for transferring and processing this material. Also refer to Sect 2 and 7.

Section 9. Physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 60 °C
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
9.2 Other information:	None available
	Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:



Page 6 (9) Issue date: 13/03/2017 Version: 1 (13/03/2017)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PIXIE DUST FRAGRANCE OIL Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Version: 1

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

May cause an allergic skin reaction.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5 Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: >5 Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Inhalation Route: Not

>5000 >5000 Not Available Not Available

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
ALLYL HEPTYLATE (A0650-0) (ALLYL HEPTANOATE)	142-19-8	205-527-1	218	810	3	Vapour

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

- 12.2 Persistence and degradability: Not available
- 12.3 Bioaccumulative potential: Not available 12.4
- Mobility in soil: Not available



Page 7 (9) Issue date: 13/03/2017 Version: 1 (13/03/2017)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PIXIE DUST FRAGRANCE OIL 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: 14.2 UN Proper Shipping Name:	Not classified Not classified
Version: 1	
14.3 Transport hazard class(es):	Not classified
Sub Risk:	Not classified
14.4. Packing Group:	Not classified
14.5 Environmental hazards:	Not environmentally hazardous for transport
14.6 Special precautions for user:	None additional
14.7 Transport in bulk according to Anr	nex II of MARPOL73/78 and the IBC Code:
Not classified	

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

Key to revisions:

Not applicable

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

	Section 16. Other information
Concentration % Limits:	EH C3=16.40% SS 1=83.33%
Total Fractional Values:	EH C3=6.10 SS 1=1.20



In accordance with REACH Regulation EC No.1907/2006

PIXIE DUST FRAGRANCE OIL Product: Key to abbreviations:

Abbreviation	Meaning	
ATD 3	Acute Toxicity - Dermal Category 3	
ATI 3	Acute Toxicity - Inhalation Category 3	
ATO 3	Acute Toxicity - Oral Category 3	
ATO 4	Acute Toxicity - Oral Category 4	
EDI 2	Eye Damage / Irritation Category 2	
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2	
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	



In accordance with REACH Regulation EC No.1907/2006

Product: P	IXIE DUST FRAGRANCE OIL
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P311	Call a POISON CENTRE or doctor/physician.
P330	Rinse mouth.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructio recommendations and/or suggestions are made without guarantee.