

SAFETY DATA SHEET

- S

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/Trade name DARK VIOLET-60-1117
Version/ Issue date: 7 / 02/26/2021

Print date 09/30/2021
Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Colour for candles

Item number/Trade name DARK VIOLET-60-1117
UFI EKSP-9QU6-R105-PVK7

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use Colouration of hydrocarbons, waxes, oils and fats

1.3 Details of the supplier of the safety data sheet

Company Name Supplies For Candles LTD.
Address Swinton Bridge Industrial Estate
 Whitelee Road
 Swinton
 South Yorkshire
 S64 8BH, UK

Phone 01709 257151
E-mail customerservice@suppliesforcandles.co.uk

1.4 Emergency telephone number

Office Hours Mon - Fri 9.00 - 17.00
Phone 01709 257151

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)
Eye Dam. 1; H318 Causes serious eye damage.

2.2 Label elements



Danger

Nature of Hazard GHS05 Corrosion
Hazard statements (CLP) H318 Causes serious eye damage.
Precautionary statements (CLP) P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
 contact lenses, if present and easy to do. Continue rinsing.
Hazard-determining component(s) of labelling
 bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

Special provisions concerning the labelling of certain mixtures

2.3 Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances

Mixture of waxes, colouring agents and additives



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/Trade name DARK VIOLET-60-1117
Version/ Issue date: 7 / 02/26/2021

Print date 09/30/2021
Page 2 of 8

3.2 Mixtures

Hazardous ingredients

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate: 3 % - 9,99 %
CAS-Number: 52829-07-9
EINECS / ELINCS / NLP: 258-207-9
REACH registration No.: 01-2119537297-32
Classification according to EC regulation 1272/2008 (CLP):
Aquatic Acute 1 (M1); H400 / Aquatic Chronic 2; H411 / Eye Dam. 1; H318

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	If you feel unwell, seek medical advice.
In case of inhalation	Move victim to fresh air. Seek medical aid in case of troubles.
In case of skin contact	Thoroughly wash skin with soap and water.
After eye contact	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if irritation persists.
After swallowing	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Seek medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms ---

4.3 Indication of any immediate medical attention and special treatment needed

Information to physician ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Carbon dioxide , water spray jet , extinguishing powder , foam.
Extinguishing media which must not be used for safety reasons	Full water jet

5.2 Special hazards arising from the substance or mixture

Possible combustion products Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters Wear self-contained breathing apparatus.

Additional information Do not allow water used to extinguish fire to enter drains, ground or waterways. Do not allow fire water to penetrate into surface or ground water. You have to dispose of contaminated extinguishing water according to the regulations of the authorities.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/Trade name DARK VIOLET-60-1117
Version/ Issue date: 7 / 02/26/2021

Print date 09/30/2021
Page 3 of 8

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not breathe dust. With the formation of dust, use a dust mask. Keep away from sources of ignition - No smoking. Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Do not allow to enter into ground-water, surface water or drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Take up spilled product with dustpan and brush. Avoid causing any dust. Industrial vacuum cleaner recommended to avoid soiled areas with a conventional household cleaner.

6.4 Reference to other sections

Personal protection equipment: see section 8, Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling Avoid contact with eyes and skin. When using do not eat, drink, smoke, sniff. Make sure there is sufficient air exchange and / or that working rooms are air suctioned. Avoid dust formation.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers Keep away from sources of ignition and heat. Store in a cool dry place. Store in a well-ventilated place. Keep container tightly closed. Protect from direct sunlight.

Storage class 11

7.3 Specific end use(s)

General use Coloration of hydrocarbons, waxes, oils and fats

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Respiratory protection With correct and proper use, and under normal conditions, breathing protection is not required. Provide good ventilation and/or an exhaust system in the work area. Wear a dust mask, in case of excessive dust.

Hand protection Wear suitable gloves.- according to DIN-/EN-Norms EN 420, EN 388 and EN 374 Part 1,3

Eye protection Goggles according to EN 166.

Body protection Wear suitable protective clothing and shoes.

General protection and hygiene measures Keep away from food and drinks. When using do not eat, drink or smoke. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/Trade name DARK VIOLET-60-1117
Version/ Issue date: 7 / 02/26/2021

Print date 09/30/2021
Page 4 of 8

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form solid
Colour violet
Odour characteristic

Important health, safety and environmental information

Initial boiling point and boiling range	> 130 °C		
Melting point/freezing point	> 60 °C		
Flash point/flash point range	> 150 °C		
Ignition temperature	> 200 °C		
Solubility	Product is difficult to dissolve in water.		
Vapour pressure	not determined	---	---
Density	not determined	---	---
Bulk density	---	---	---
Dynamic viscosity	---	---	---
Kinematic viscosity	0 m ² /s	---	---
Lower explosion limit	---		
Upper explosion level	---		
Flow time 4mm (DIN)	not determined		
PH			---
Partition coefficient: n-octanol/water	---		---

9.2 Other information

SECTION 10: Stability and reactivity

<u>10.1 Reactivity</u>	Non-reactive
<u>10.2 Chemical stability</u>	Product is stable under normal storage conditions.
<u>10.3 Possibility of hazardous reactions</u>	---
<u>10.4 Conditions to avoid</u>	Avoid dust formation. Avoid dust deposits. Keep away from sources of ignition. No smoking. Take precautionary measures against static discharges.
<u>10.5 Incompatible materials</u>	strong acids and bases, strong oxidizing agents
<u>10.6 Hazardous decomposition products</u>	Hazardous vapours may form during fires. In case of fire may be liberated: Nitrogen oxides (NO _x), carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

General remarks

No toxicological tests were conducted with the mixture.

Toxicological tests: components

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

Eye irritation: Rabbit	-	irreversible damage	OECD 405
Skin sensitisation guinea pig	-	not sensitising	OECD 406
Mutagenicity:	-	not a mutagen	OECD 471 (Ames test)
Acute oral toxicity	LD50>	2000.0 mg/kg	



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/Trade name DARK VIOLET-60-1117
Version/ Issue date: 7 / 02/26/2021

Print date 09/30/2021
Page 5 of 8

Rat Acute dermal toxicity	LD50>	2000.0 mg/kg
Rat Acute inhalation toxicity	LC50>	960.0 mg/m ³
Rat		

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity ---

Ecotoxicological effects: components

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

acute Daphnia toxicity EC50= 17.0 mg/L

Daphnia magna (Big water flea)

acute fish toxicity LC50= 13.0 mg/L

Oncorhynchus mykiss

Bacteria toxicity IC50> 100.0 mg/L

Refer to manufacturer/supplier for information on

algae toxicity EC50= 1.9 mg/L

Scenedesmus subspicatus

12.2 Persistence and degradability

Evaluation text ---

Degree of elimination ---

Analytical method ---

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Recommendation Dispose of waste according to applicable legislation. Discharge into the environment must be avoided.

Package

Recommendation Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Item number/Trade name DARK VIOLET-60-1117
Version/ Issue date: 7 / 02/26/2021

Print date 09/30/2021
Page 6 of 8

SECTION 14: Transport information

14.1 UN number

ADR, IATA, IMDG ---

14.2 UN proper shipping name

Product designation: ADR/RID ---

Proper shipping name: IATA-DGR ---

Proper shipping name: IMDG ---

14.3 Transport hazard class(es)

Class ADR/RID ---

Code: ADR/RID ---

Class IATA-DGR ---

Subrisk IATA-DGR ---

Class IMDG ---

Subrisk IMDG ---

14.4 Packing group

ADR, IATA, IMDG No packaging for dangerous goods required

14.5 Environmental hazards

Marine Pollutant -
IMDG ---

EmS ---

Stowage and segregation ---

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Additional information

EQ ---

Limited quantities ---

Special provisions ---

Tunnel restriction ---

Transport category ---

Kemmler-number ---

No dangerous good in sense of these transport regulations.

SAFETY DATA SHEET



according to Regulation (EC) No. 1907/2006 (REACH)

Item number/Trade name DARK VIOLET-60-1117
Version/ Issue date: 7 / 02/26/2021

Print date 09/30/2021
Page 7 of 8

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Storage class 11

Water Hazard Class 2

Information on working limitations No special measures are required.

15.2 Chemical Safety Assessment

Chemical Safety Assessment No substance safety evaluation was conducted with the mixture/ substance.

SAFETY DATA SHEET



according to Regulation (EC) No. 1907/2006 (REACH)

Item number/Trade name DARK VIOLET-60-1117
Version/ Issue date: 7 / 02/26/2021

Print date 09/30/2021
Page 8 of 8

SECTION 16: Other information

Hazard statements (CLP)

- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.

Reason of change General revision

Abbreviations

--- no data, not determined or not applicable

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (Verordnung (EG) Nr. 1907/2006)

OECD Organisation for Economic Co-operation and Development

LD50 Median lethal dose

LC50 Median lethal concentration

EC50 Median effective dose

IC50 Median inhibitory concentration

VCI Verband der chemischen Industrie

CAS Chemical Abstract Service

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

NLP No Longer Polymers

CLP Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging

EG Europäische Gemeinschaft

WGK Wassergefährdungsklasse (according to AwSV, Appendix 1 (5.2))

AGW Arbeitsplatzgrenzwert

ADR Accord Européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID Règlement concernant le transport international ferroviaire des marchandises dangereuses (International Rules for the Transport of Dangerous Substances by Railway)

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods

MARPOL International Convention for the Prevention of Pollution From Ships (MARine POLLution)

EmS Emergency Schedules